

IN PARTNERSHIP WITH



PRODUCT BROCHURE

#TAPESMART



WHO ARE EGUCHI IWAO

Founded in 1907, this company has evolved into a leading provider of paints, coatings, and specialty materials in Japan. After 18 years of successful growth across Asia, Eguchi Iwao South Africa was established in 2012, followed by the inauguration of a European branch in the UK in September 2019.

The company's operations in Japan and Europe are closely associated with several major global coatings manufacturers. These partnerships have enabled the company to consistently deliver advanced paint products and solutions, building a strong reputation for reliability and quality.

The European division is committed to maintaining this standard of excellence. It collaborates with innovative companies known for their expertise in the industry, like Kovax, and has expanded its services to cover additional business sectors throughout Europe.
















A FAMILY BUSINESS

JTAPE, a family business founded in 2003, manufacture innovative masking solutions for the collision repair and refinish market. We listen to the challenges experienced by painters and design patented products that add value, standardize process and improve efficiencies during the masking process.

AN INTERNATIONAL BRAND

From our manufacturing facility in Macclesfield, UK, we have a core portfolio of over 50 individually designed products, supplying to 63 countries globally and offering quality products, customer service and marketing.



OUR VALUE PROPOSITION

On average, our product range speeds up all masking processes by 3x and increases productivity (including rework) by more than 12x with perfect results.

- INCREASE PRODUCTIVITY
- REDUCE LABOUR COSTS
- MAXIMISE PROFITS







PART NO	METRIC	IMPERIAL
1015.1535	15mm x 35m	5/8" x 114
'1015.2225	22mm x 25m	7/8" x 81'
FEATURES		
Fast and efficient aperture masking		

Fast and efficient aperture masking
Seals and protects inside of vehicle
Precise fingertip adjustment
No primer build-up on panel edges

BENEFITS

Dramatically reduces process time
No unwanted primer overspray

Even application of primer

Leaves a feathered finish

AREAS OF APPLICATION

A, B	and	C	Pil	lars
------	-----	---	-----	------

Bonnet / Hood

Boot / Trunk

PRIMESHIELD

PART NO. 1015

Primeshield is the smart solution for masking any gaps that require priming and in particular high-build priming. Applied in seconds, it prevents overspray getting inside a vehicle and provides a soft, feathered finish. Primeshield is estimated to be up to 20 times faster to prepare for spraying.



PART NO	METRIC	IMPERIAL
1011.2050	20mm x 50m	¾" x 165′

FEATURES

One continuous	length
----------------	--------

For use in all apertures including the A-Pillar

Adjustable between coats

Temperature resistant 90°C/194°F

Offset adhesive

Retains its shape to re-join

Used on fixed and moving part

BENEFITS

No waste unlike competitive products that can accidently remove multiple lengths

Suitable for all panel gaps

Creates a softer edge

Suitable for low bake ovens

Prevents hard paint edges

Perfect product positioning every time

AREAS OF APPLICATION

A, B and C Pillars

Bonnet / Hood

Boot / Trunk

ADVANCED FOAM

MASKING TAPE

Advanced Foam Masking Tape is an innovative alternative to standard, round, smooth edge foam masking tapes. This tape is designed to mask all apertures to prevent the ingress of paint during spraying, providing a high quality finish and dramatically reducing process time.





PART NO	METRIC	IMPERIAL
1016.3530	35mm x 30m	1 1/2" x 99'

Unique patented 2 in 1 masking product

Hidden adhesive

Detachable Primeshield piece

Paint absorbent

BENEFITS

No need to de-mask and re-mask between sealing and painting

Prevents hard primer/ground coat edges

One step process

Helps to create a soft finish

AREAS OF APPLICATION

A, B and C Pillars

Bonnet / Hood

Boot / Trunk

PRIME & PAINT FOAM MASKING TAPE

PARTNO.1016

Prime & Paint Foam Masking Tape is the perfect solution that supports a three-stage process; primer sealer, color application and clear coat finish with one masking application. Prime & Paint Foam Masking Tape is the unique combination of two innovative products: Primeshield and Advanced Foam Masking Tape, providing the bodyshop considerable time and material savings.



PART NO	METRIC	IMPERIAL
1013.1350	13mm x 50m	1/2" x 165'

FEATURES

Fixes to the door, hood, trunk apertures

Temperature resistant to 90°C/194°F

2 convenient sizes

Paint absorbent

BENEFITS

A fast efficient way to fill a gap

Suitable for low bake ovens

For use on standard and commercial vehicles

Helps to create a soft finish

AREAS OF APPLICATION

B and C Pillars

Bonnet / Hood

Boot / Trunk

SMOOTH EDGE FOAM MASKING TAPE

PART NO. 1013

Smooth Edge Foam Masking Tape is ideal for use in door apertures, hood and trunk lid openings openings and other vehicle apertures. It is perfect for the sealing part of a painting operation and saves you time with reduced paint lines.





PART NO	METRIC	IMPERIAL
1012.2025	20mm x 25m	¾" x 81'

Feathered edge over long lengths

Seamless blend from old to new paintwork

Temperature resistant to 160°C/320°F

Non-stretch

BENEFITS

Consistent finish

Eliminates rework

Suitable for low bake ovens and infra-red drying systems

systems

No unwanted elongation

AREAS OF APPLICATION

B and C Post

Swage/style lines

Bonnet / Hood

Boot / Trunk

NO EDGE Blending tape

PART NO. 1012

Non-stretch, No Edge Blending Tape is the smart solution for masking body lines, panel edges and rocker panels to create a seamless finish from old to new paintwork.



PART NO	METRIC	IMPERIAL
1018.1525	15mm x 25m	5/8" x 81'

FEATURES

Conforms around difficult areas without kinking

Seamless blending from old to new paintwork

Temperature resistant to 90°C/194°F

Paint absorbent

One size for every application

Gives feathered paint edge

BENEFITS

Suitable for blending where flexibility is key

Eliminates rework

No hard paint edges

Suitable for low bake ovens

Ideal for any body repair scenario

No primer build-up

AREAS OF APPLICATION

Contoured swage/style lines

Bumper Edges

Wheel Arches

Roof Panel Lines

Bridging Screen Gaskets/Rubbers

FLEXI NO EDGE BLENDING TAPE

PART NO. 1018

Flexi No Edge Blending Tape is the innovative and unique solution for masking curved panel edges and rocker panels. It makes masking around corners

a speedy process even on the tightest of turns. It is the most effective solution for masking fuel doors/filler caps and provides a feathered paint edge, eliminating rework.





PART NO	METRIC	IMPERIAL
1150.7520	75mm x 20m	3" x 66'

Creates a void when spraying can't rails/roof pillars

2:1 application around other panals, doors, trunk/fender

Perforated sections for easy tear

Seals and protects inside of vehicle

Easy lifting tab

BENEFITS

Eliminates need to mask weatherstrip

Easy application

No need for scissors or knives

Prevents overspray

Easy removal

AREAS OF APPLICATION

Roof/Cant Rails

Door Rubber Seals

Wing/Fender/Guard

Bonnet / Hood

Boot / Trunk

PART NO	METRIC	IMPERIAL
1058.5010	50mm x 10m	2" x 33'

FEATURES

Specially formulated high grab adhesive

Thicker plastic edge

Perforated sections allow for easy tearing

Flexible and translucent substrate

Clean removal adhesive

BENEFITS

No lifting on a wide range of substrates

Increased leverage for robust rubbers and trims leaving no edge

No requirement for a blade or scissors

Contours around tight corners with visibility to the surface below

No resedue upon removal

AREAS OF APPLICATION

Window Rubber Seals

Door Rubber Seals

Bodyside Mouldings

Rear Quarter Lights

DUO MASKING TAPE

PART NO. 1150

Duo Masking Tape is highly versatile and can be used to mask a wide variety of applications around the vehicle. Made from high quality materials, there is adhesive on both sides and a rigid edge allows the masking of individual panels. Its primary application is to mask weatherstrip along the top of the doors, creating a void when spraying cant rails and roof pillars with no adhesive exposure.



PERFORATED+ TRIM LIFTING TAPE

PART NO. 1058

Perforated+ Trim Lifting Tape is designed to lever back rubbers/gaskets around windshields, bodyside mouldings and fog lights, leaving no edge when spraying and improving efficiency. It's higher grab adhesive means no lift and a thicker plastic provides excess leverage for robust trims. Perforated for easy-tear.





PART NO	METRIC	IMPERIAL
1055.5010	50mm x 10m	2" x 33'

Fits all parts of the car unlike competitor products

Perforated sections allow for easy tearing

Easily fits around corners

3 different sizes in one product

Temperature resistant to 160°C/320°F

No need for different types of lifting products

Easy application even in difficult areas

No need for scissors or knives

Covers all trim depths and allows for SKU consolidation

Suitable for high bake ovens

AREAS OF APPLICATION

Window Rubber Seals

Door Rubber Seals

Rear Quarter Lights

PERFORATED TRIM **MASKING TAPE**

PART NO. 1055

Perforated Trim Masking Tape is a universal lifting tape which fits all parts of the car. Its paper construction allows it to absorb paint unlike the film versions.

It's the quick, clean way to mask rubber and trims, ensuring a perfect finish every time.







PART NO	METRIC	IMPERIAL
1185	50m	165′

High quality crepe paper tape

Temperature resistant up to 160°C/320°F for 30 minute

Pressure-sensitive rubber-based adhesive

A variety of width options are available from 1.5mm to 48mm

BENEFITS

Residue-free removal

Excellent adhesion to a variety of materials, including plastics, rubbers, trims and wheels

Performs well in wet strip applications

Provides excellent resistance to paint-flaking

AREAS OF APPLICATION

A, B and C Pillars

Bonnet / Hood

Boot / Trunk

· 160°C HIGH **TEMPERATURE CREPE MASKING TAPE**

PART NO. 1185

160°C High Temperature Crepe Masking Tape is a high strength, high performance, thick, heavy tape. It gives good, instant adhesion, to provide sharp paint lines. It is easy to tear and can be removed cleanly from all surfaces.







PART NO	METRIC	IMPERIAL
1120	50m	165'

Premium Crepe Paper with rubber-based pressure sensitive adhesive

Temperature resistant up to 120°C/248°F for 30 mins

Flexible

Can be used with all types of automotive, marine, decorative and industrial paint systems

BENEFITS

Strong tape with good adhesion to a variety of surfaces

Suitable for medium bake ovens and infra-red drying systems

Conformable

No need for different tapes - can be used with water-based, solvent and enamel paint systems

AREAS OF APPLICATION

B and C Post

Swage/style lines

120°C BLUE MASKING TAPE

PART NO. 1120

JTAPE 120°C Blue Masking Tape is a high performing masking tape with a specially formulated adhesive for instant grab in conjunction with a thicker crepe tape for masking off essential areas in Automotive, Rail, Marine, Construction and DIY at Home.

It can be used with water based, enamel, one and two pack paint systems. Its high temperature resistance can withstand 120°C/248°F and infra-red drying systems.







PART NO	METRIC	IMPERIAL
1180	50m	165'

Premium crepe paper with rubber-based adhesive

Temperature resistant up to 80°c

Flexible

Can be used with all types of automotive, marine, aerospace, decorative and industrial paint systems

BENEFITS

Strong Crepe with good adhesion

Suitable for low bake ovens

Flexible conformability and resistance

No need for different tapes, can be used with water-based, solvent and enamel paint systems

AREAS OF APPLICATION

B and C Pillars

Bonnet / Hood

Boot / Trunk

80°C PREMIUMMASKING TAPE

PART NO. 1180

80°C Premium Masking Tape is a general all-round crepe tape for masking off areas when spraying. It is ideally suited to use with other JTAPE products in the body-shop, with a strong adhesion and is heat-resistant to temperatures of 80°C/176°F.

Premium Masking Tape can be easily removed, leaving no residue.







PART NO	METRIC	IMPERIAL
1125	50m	165'

Temerature resistant to 130° up to 30mins

Ideal for straight lines

Rice paper, ideally suited for both solvent-based and water-based paint systems

Acrylic adhesive for highly protective bonds on sensitive surfaces

No bleeding/creeping/spidering under masked

UV resistant for up to 14 days

BENEFITS

Can be used with low bake and infra-red drying systems

Suitable for multicolour applications

No need for multiple tapes

Excellent adhesion on all surfaces

an be used as a fine line tape

Suitable for prolonged exterior applications

AREAS OF APPLICATION

Contoured swage/style lines

130°C ORANGE PRECISION MASKING **PART NO. 1125**

JTAPE 130°C Flat Orange Precision Masking Tape is a medium tack masking tape for interior and exterior applications. It's an orange rice paper crepe masking tape, with a custom formulated acrylic-based adhesive. It also offers clean, residue-free removal even when exposed to temperatures up to 130°C/266°F for up to 30







PART NO	METRIC	IMPERIAL
1113.01.555	1.5mm x 55m	1/16" x 180'
1113.0355	3mm x 55m	1/8" x 180'
1113.0655	6mm x 55m	¼" x 180′
1113.1255	12mm x 55m	1/2" x 180'

Newly formulated translucent backing

Thinner than most other fine line tapes

Highly flexible and conformable

Increased grab over other fine line tapes

Temperature resistant up to 150°C/302°F

Short term UV resistance

Can be used with all types of, automotive, marine, aerospace, decorative and industrial paint systems

No bleeding/creeping/spidering under masked line

BENEFITS

Ideal for seeing through to the surface below

Suitable for highly complex designs

Designed for following contours and tight curve

Reduces the chance of lifting from difficult to mask substrates

Suitable for high and low bake and infra-red drying systems

Suitable for use under UV lamps

Safe with water, solvents and enamel-based paints

Confidence that all masked areas will be left with a clean line

AREAS OF APPLICATION

Contrast colours/colour separation

Plastic parts

Painted and non-painted surfaces

Striping

Customising



PURPLE TRANSLUCENT FINE LINE MASKING TAPE

PART NO. 1113

Purple Translucent Fine Line Masking Tape is highly flexible and conformable making it ideal for following contours and tight curves.







PART NO	METRIC	IMPERIAL
1105.01.555	1.5mm x 55m	1/16" x 180'
1105.0355	3mm x 55m	1/8" x 180'
1105.0655	6mm x 55m	¼" x 180′
1105.1255	12mm x 55m	1/2" x 180'

Can be applied over newly painted surfaces due to its rubber based pressure sensitive adhesive Ideal for straight lines whilst also remaining flexible

Temperature resistant up to 150°C/302°F

Can be used with all types of, automotive, marine, aerospace, decorative and industrial paint system

No bleeding/creeping/spidering under masked line

BENEFITS

Leaves no ghost marking

Especially suitable for multi-colour applications
Suitable for high bake ovens

Safe with water, solvents and enamel-based paints
Confidence that all masked areas will be left
with a clean line

AREAS OF APPLICATION

Contrast colours/colour separation

Striping

Plastic parts

Customising

Painted and non-painted surfaces



GREEN FINE LINE MASKING TAPE

PART NO. 1105

Green Fine Line Masking Tape is perfect for intricate masking on multi-coloured paint jobs. It is very flexible making it easy to curve on flat surfaces and shapes with tight contours. Temperature resistant up to 150°C/302°F for at least 45 minutes.







PART NO	METRIC	IMPERIAL
1111.01.555	1.5mm x 55m	1/16" x 180'
1111.0355	3mm x 55m	1/8" x 180'
1111.0655	6mm x 55m	¼" x 180′
1111.0955	9mm x 55m	3/8" x 180'
1111.1255	12mm x 55m	1/2" x 180'

Can be applied over newly painted surfaces due to its rubber based pressure sensitive adhesive

Ideal for straight lines whilst also remaining flexible

Temperature resistant up to 150°C/302°F

Can be used with all types of, automotive, marine, aerospace, decorative and industrial paint system

No bleeding/creeping/spidering under masked line

BENEFITS

Leaves no ghost marking

Especially suitable for multi-colour applications

Suitable for high bake ovens

Safe with water, solvents and enamel-based paints

Confidence that all masked areas will be left with a clean line

AREAS OF APPLICATION

Contrast colours/colour separation

Striping

Plastic parts

Customising

Painted and non-painted surfaces

ORANGE FINE LINE MASKING TAPE

PART NO. 1111

Orange Fine Line Masking Tape is thinner and more translucent than other fine line masking tapes making it ideal for seeing through to the painted surface. It is perfect for straight lines while also being highly flexible. Temperature resistant up to 150° C/302°F for at least 45 minutes.









PART NO	METRIC	IMPERIAL
1119.1210	12mm x 10m	1/2" x 33'

Can be applied Extra flexible

Non-bleed

Made of 8 x 1.5mm/1/16" strips

Heat resistant to 150°C/302°F

BENEFITS

Perfect for creating intricate patterns

Leaves no residue

Gives the painter flexibility with their designs

Suitable for medium bake ovens

AREAS OF APPLICATION

Contrast colours/colour separation

Striping

Plastic parts

Bike tanks/helmets

Painted and non-painted surfaces

CUSTOMISING

TAPE


PART NO. 1119


Customising Tape has been created for striping with extra flexibility in mind, allowing the user to mask the tightest of contours. By stripping out sections, a variety of stripe widths and shapes

can be created. Made from our most flexible fine line tape, the 8×1.5 mm ($8 \times 1/16$ ") strips allow creativity and parallel pinstriping around curves and bends.











PART NO	METRIC	IMPERIAL
2205.0910	9mm x 10m	3/8" x 33'
2205.1210	12mm x 10m	1/2" x 33'
2205.2210	22mm x 10m	7/8" x 33'

Can be painted over straight away

Transparent

Flexible

Resistant to solvents, chemicals, UV & heat

BENEFITS

No curing time or requirement for adhesion promoter

Simple & easy to use

Can be used on various parts of the car including door jams and trunk gutter applications

Bonds securely to a very wide range of substrates

AREAS OF APPLICATION

Door skins

Flanges

Tail gates

Bonnets/hoods

General clinched areas

SEAM SEALING TAPE

PART NO. 2205

Seam Sealing Tape has a flat profile and is used to replace or repair the seams on automotive door skins, flanges, tail gates, bonnet/hoods and general clinched areas. It has excellent resistance to solvents, chemicals, UV and heat, making the tape bond securely to a wide range of substrates. Once applied, the acrylic adhesive provides a permanent waterproof bond and seal and is ready for painting.

Other sizes available upon request.













PART NO	METRIC	IMPERIAL
203.5050	50mm x 50m	2" x 165

78 weaves per inch

Shot blast resistant

High adhesion

Waterproof

Premium rubber adhesive

Cloth material

Conformable

BENEFITS

Twice as strong as standard tapes of this nature

Only one layer required

Can be applied to a variety of surfaces

Suitable for indoor and outdoor applications

Clean Removal

Easy to tear

Applies to irregular surfaces without lifting

AREAS OF APPLICATION

Adjacent panels

Fog lights

Windows

Chrome door handles

Trims





PREMIUM CLOTH PROTECTION TAPE

PART NO. 2203

Premium Cloth Protection Tape is constructed from a polyethylene cloth laminate with 78 weaves per inch, twice as many as standard cloth/gaffer tape. This gives the tape considerable strength and allows the tape to be torn in both directions. Waterproof, sand blast resistant, with a high-tack adhesive, it can be removed easily leaving no adhesive residue. Use to protect adjacent panels, fog lights, windows, chrome door handles and trim.







PART NO	METRIC	IMPERIAL
1190.2430	24mm x 30m	1" x 98'

Chequered squares

Black and white squares

BENEFITS

Ensures paint coverage even with poor lighting

Optimum opacity of paint achieved even with poor coverage colours

AREAS OF APPLICATION

Any masked area for paint

PAINT CONTROL TAPE

PART NO. 1190

Paint Control Tape is a chequered tape that gives the paint sprayer the ability to monitor the optimum opacity of paint applied by viewing the paint coverage over the black and white squares.



PART NO	METRIC	IMPERIAL
2110.0610	6mm x 10m	¼" x 33′
2110.0910	9mm x 10m	3/8" x 33'
2110.1210	12mm x 10m	1/2" x 33'
2110.2210	22mm x 10m	7/8" x 33'

FEATURES

Closed-cell foam construction

Strong adhesion

High strength performance acrylic adhesive

BENEFITS

Ideal for both internal and external applications

Suitable for fixings in all weather conditions

Bonds emblems, nameplates, plastic panels and metals

AREAS OF APPLICATION

Plastic Trims/Panels

Emblems

Number/name plates

Metals

GREY DOUBLE SIDED ACRYLIC TAPE

PART NO. 2110

Grey Double Sided Acrylic Tape is a reinforced acrylic 1.1mm closed-cell foam tape with a high-tack and utilises a high strength performance acrylic adhesive. The closed-cell foam construction makes the tape ideal for both internal and external fixings in all weather conditions. Grey Double Sided Acrylic Tape has excellent adhesion to a wide range of substrates including plastics & metals and is ideal for bonding emblems, number/nameplates, plastic panels and metals.

Available in 4 sizes.



PART NO	METRIC	IMPERIAL
4002.6017	18mm diameter	¾" diameter
	x 60	x 60 discs

Easy lifting tab

Avoids contamination of sensors

One size fits most applications

Clean removal, no residue

RENEFITS

Aids application and removal of the discs

Can be used for sanding, painting and polishing

Saves time avoiding a tricky masking process or worse, the disassembly of the sensors

Removal whilst clearcoat is wet, avoids bridging

AREAS OF APPLICATION

Parking sensors

Rubber seals

PARKING SENSOR MASKING DISCS

PARTNO.4002

Parking Sensor Masking Discs are the ideal solution for protecting parking sensors and surrounding rubber gaskets during the repair process. Our adhesive cover protects the sensor preventing damage when sanding, painting and polishing, with a tab for easy removal.



PART NO	METRIC	IMPERIAL
2210.5030	50mm x 300mm x 10 sheets	50mm x 300mm x 10
		sheets

FEATURES

Self-cutting pressure sensitive adhesive

Double sided permanent carrier-free transfer adhesive for professional re-application of vehicle decals

10 sheets per sleeve

BENEFITS

No need for scissors or a blade

No need for expensive decal replacements

Reduces cost and speeds up the reclaim process

AREAS OF APPLICATION

Logos

Decals

CLEAR LOGO TAPE

PARTNO.2210

Clear Logo Tape is a double sided permanent carrier-free transfer adhesive designed specifically for re-applying logos, emblems and badges from all types of vehicles.





PART NO	METRIC	IMPERIAL
1095.1417	170cm x 170cm	67" x 67" x
	x 20	20

Elastic centre piece

Paint absorbent

Temperature resistant

Individually wrapped in a convenient dispensing

BENEFITS

Flexible for all sizes of wheel

Prevents paint contamination

Can be applied to a variety of surfaces

Suitable for indoor and outdoor applications

Suitable for low bake cycles

Keeps them clean and avoids contamination

AREAS OF APPLICATION

Masking tyres

Spraying wheels/rims

WHEEL REPAIR MASK

PART NO. 1095

Wheel Repair Mask is the most effective way to mask a tyre when spraying an alloy wheel. It saves considerable time and materials over traditional masking methods and is a SEMA Global Media Award

Winner.



WHY USE EGUCHI IWAO

We collaborate with paint manufacturers, automotive factories, independent producers, and industry representatives, fostering a functional working experience for our clients through these partnerships.

Our commitment is to guide you in selecting premier brands and products that meet your needs, identify application solutions that align with your process layout and environmental regulations, and address any challenges that emerge, thereby ensuring mutual growth and enhancement.

SCAN THE OR CODE TO CALL OUR SALES **TEAM**

Or call 03301 289 258 PRODUCT SOURCING

PROCESS IMPROVEMENT PROGRAMS

COST REDUCTION

INVENTORY MANAGEMENT AND SUPPLY

QUALITY ASSURANCE

TECHNICAL TRAINING

COMMERCIAL ANALYSIS & REPORTING

WASTE MANAGEMENT

CONSULTING SERVICES









Eguchi Iwao Europe

Banbury Office
Suite 4, The Granary, Upton Estate
Home Farm Drive, Banbury
Oxfordshire
OX15 6HU
orders@eguchi-iwao.com
+44 (0) 3301 289 258

Eguchi Iwao Europe

Warehouse

Unit 5-1 Orchard Farm Nursery
Tysoe Rd, Lower Tysoe, Warwickshire
CV35 0BU
Warehouse orders@eguchi-iwao.com
+44 (0) 3301 289 258

Woodfinishes

Unit 19B Sea King Road

Lynx Industrial Trading Estate Yeovil

BA20 2NZ

info@woodfinishes-ltd.co.uk

+44 (0) 1935 432 841

Eguchi Iwao South Africa

Johannesburg Office Unit 12 Dawn Park 5 Tugela Road Pomona Kempton Park,1619 info@eguchi.co.za +27 (0) 11 396 1161

360 Supply Solutions

Unit 12 Dawn Park
5 Tugela Road Pomona
Kempton Park 1619
admin@360ss.co.za
+27 (0) 11 396 1161

Eguchi Iwao South Africa

Durban Office
Unit G2, 20/24 Outer Circuit Road
Isipingo, Prospecton
Durban, 4110
info@eguchi.co.za
+27(0) 319 130600

