




# WHO IS EGUCHI IWAO

Founded in 1907, this company has evolved into a leading provider of paints, coatings, and specialty materials in Japan. After 18 years of successful growth across Asia, Eguchi Iwao South Africa was established in 2012, followed by the inauguration of a European branch in the UK in September 2019.

The company's operations in Japan and Europe are closely associated with several major global coatings manufacturers. These partnerships have enabled the company to consistently deliver advanced paint products and solutions, building a strong reputation for reliability and quality.

The European division is committed to maintaining this standard of excellence. It collaborates with innovative companies known for their expertise in the industry, like Kovax, and has expanded its services to cover additional business sectors throughout Europe.



毎回時間通りに

**COATINGS & SOLUTIONS**  
TOGETHER WITH  
SERVICE & SOLUTIONS



# Kovax - The Story of Perfection.

Because of our Japanese roots, aiming for the highest quality is in our DNA. We pursue this both at product level and in customer support. Our urge for perfection is embedded into Japanese culture, where perfection is symbolized by a circle. This so-called Ensō has been represented in Japan since living memory as an expression of perfection. Because the Ensō is an important and meaningful symbol with which Kovax strongly identifies, the circle is a recurring element in our design. Also, in Japanese Kanji script, Ensō literally means 'circle of togetherness'. Meaning maintaining harmonious collaborations with relations.

This vision is fully in line with the philosophy of Kovax. We create perfection in our ultra-modern factories, where we combine the latest (production) technologies with our 90 years of experience in developing and

producing sanding solutions. The result is a complete sanding line that enables dry sanding until the finest grit. Thanks to the highly uniform end result, you can truly differentiate yourself and, at the same time, significantly reduce your labor time. But we go even further! Our need for perfection also means that we think ahead: How can we make tomorrow's work even easier and more efficient for you? Or, what sanding solution can we offer you for new application fields, materials, etc.? We therefore regularly introduce innovative products that are completely new worldwide.

But above all, we strive for perfection by creating harmonious relationships with our customers. Personal contact, loyalty and short lines of communication. Connecting with each other. That is the strength of Kovax. That is our Story of Perfection!



トシプロックス  
KOVAX®  
S




## Fast

Our solutions provide you the means to work as efficient as possible.



## Safe

You are always in control with our dry sanding system.











## Easy

The Kovax sanding system has a solution for every problem.



# ICONS

Discover, by means of the icons, the right Kovax solutions for each application. At a single glance you see which products are suitable for which applications.

## APPLICATION

-  METAL SANDING
  -  REMOVING OLD LAYERS
  -  PUTTY SANDING
  -  PRIMER SANDING
  -  BLENDING
  -  REMOVING IMPERFECTIONS
  -  FINISHING
  -  WATERPROOF
- 

## TIPS

-  PRODUCT TIPS
  -  PRACTICAL TIPS
- 


## ADHESION

-  SUPER TACK
-  STICK-ON

## TABLE OF CONTENTS

|               |    |
|---------------|----|
| Top products  | 1  |
| Tolekit       | 4  |
| Tolecut       | 5  |
| Tri-Pro       | 6  |
| Premium       | 7  |
| Yellow Film   | 8  |
| Maxfilm       | 10 |
| Super Assilex | 12 |
| Tolex         | 14 |
| Buflex        | 16 |
| Polish        | 18 |

# TOP PRODUCT





## YELLOW FILM P800 - P2000

THE NUMBER 1 SOLUTION FOR BLENDING ZONES, WITH A GUARANTEED PERFECTLY, NON-VISIBLE TRANSITION FROM OLD TO NEW CLEAR COAT.



### ADVANTAGES YELLOW FILM

The film backing in combination with an anti-burning coating allows a cool sanding process. Consequently, burning spots can be brought to a minimum and the risk of deep scratches is reduced significantly. Yellow Film is ideal for top coat sanding, removal of imperfections and removal of orange peel structure. The main markets of Yellow Film are the automotive sector and the wood industry.




## MAXFILM P60 - P600

MAXFILM STANDS FOR MAXIMUM DURABILITY FOR ALL YOUR SANDING WORK, FROM SANDING BARE METAL TO SANDING PRIMER.



### ADVANTAGES MAXFILM

The film backing of Maxfilm allows a more direct contact with the sanding surface and prevents the grains to drop into the backing. In combination with its double anti-clogging coating this results in a significantly longer lifetime. The printed P-value on top of the disc ensures maximum ease of use.







## SUPER ASSILEX K240 - K1500

*THE UNIQUE WAY OF DRY SANDING,  
UNIFORMITY AND FLEXIBILITY THAT  
AMAZE.*



### ADVANTAGES SUPER ASSILEX

The innovative latex backing and the unique grain structure result in extremely uniform and shallow scratches. The products of Super Assilex are supporting you during your daily sanding jobs due to Super Assilex'outstanding cutting performance and speed. This results in more efficiency. Super Assilex prevents potential problems in the rest of the sanding process.




## BUFLEX DRY K2000 - K3000


*THE FINEST ABRASIVE FOR  
MAXIMUM POLISH TIME  
REDUCTION.*



### ADVANTAGES BUFLEX DRY

The ultra flexible, innovative latex backing with a unique grain structure ensures extremely uniform scratches. The especially developed female-female velcro ensures process safety and prevents scratches caused by hard velcro. Buflex Dry retains the coating structure.





## MAGIC DISC

320 - 500


*SPECIALLY DEVELOPED SANDING DISC FOR E-COAT AND VERY HARD, MATT CLEAR COAT SANDING.*



### ADVANTAGES MAGIC DISC

The Magic Disc with its film backing, the new developed diamond grain and the new generation 2.0 anti-clogging coating, has an unbelievable long lifetime on hard coatings. High aggressiveness comes together with very uniform scratches.

152 MM



## TOLECUT

K800 - K3000

*THE WORLD CHAMPION WHEN IT COMES TO DRY IMPERFECTION REMOVAL.*



### ADVANTAGES TOLECUT

Tolecut is a dry sanding system. Without the use of water it is always possible to see how far the imperfection has been removed. Because of the constant visible result, the risk to sand through the topcoat is reduced to a minimum. Tolecut is unique in its cutting power and due to its flexibility it is also suitable for concave and convex areas. The ease of use makes it a must have for every dent professional.

70 x 114 MM



29 x 35 MM



70 x 29 MM



34 MM







# TOLEKIT

THIS KIT CONTAINS THE FOLLOWING INNOVATIVE PRODUCTS FOR DRY IMPERFECTION REMOVAL.



| Art. No. | Description                          | QTY |
|----------|--------------------------------------|-----|
| 999-8816 | TOLEKIT                              |     |
| 971-0048 | TOLECARD                             | 1   |
| 971-0059 | TOLEBLOCK QM - ROUND BIG             | 1   |
| 971-0056 | TOLEBLOCK QS - ROUND SMALL           | 1   |
| 971-0055 | TOLEBLOCK M                          | 1   |
| 971-0047 | TOLEBLOCK S                          | 2   |
| 191-1513 | TOLE CUT STICK-ON SHEETS - K1500     | 5   |
| 191-1512 | TOLE CUT STICK-ON SHEETS - K2000     | 5   |
| 191-1519 | TOLE CUT STICK-ON SHEETS - K2500     | 5   |
| 191-1511 | TOLE CUT STICK-ON SHEETS - K3000     | 5   |
| 191-1549 | TOLE CUT STICK-ON SHEETS - K3000     | 20  |
| 191-1547 | TOLE CUT STICK-ON SHEETS 1/4 - K800  | 20  |
| 191-1523 | TOLE CUT STICK-ON SHEETS 1/8 - K1500 | 80  |
| 191-1522 | TOLE CUT STICK-ON SHEETS 1/8 - K2000 | 80  |
| 191-1528 | TOLE CUT STICK-ON SHEETS 1/8 - K2500 | 80  |
| 191-1521 | TOLE CUT STICK-ON SHEETS 1/8 - K3000 | 80  |



TUTORIALS

Scan me 



# TOLECUT

## TOLECARD STICK-ON SHEETS

### 70 X 114 MM

| Art. No. | Grit  | Application | Box | Carton |
|----------|-------|-------------|-----|--------|
| 191-1517 | K800  | ☒           | 25  | 1000   |
| 191-1516 | K1200 | ☒           | 25  | 1000   |
| 191-1513 | K1500 | ☒           | 25  | 1000   |
| 191-1512 | K2000 | ☒           | 25  | 1000   |
| 191-1519 | K2500 | ☒           | 25  | 1000   |
| 191-1511 | K3000 | ☒           | 25  | 1000   |



## TOLECARD

### 66 X 110 MM

| Art. No. | Box |
|----------|-----|
| 971-0048 | 10  |



## TOLECUT STICK-ON SHEETS - 1/8

### 29 X 35 MM


| Art. No. | Grit  | Application | Box | Carton |
|----------|-------|-------------|-----|--------|
| 191-1527 | K800  | ☒           | 200 | 8000   |
| 191-1526 | K1200 | ☒           | 200 | 8000   |
| 191-1523 | K1500 | ☒           | 200 | 8000   |
| 191-1522 | K2000 | ☒           | 200 | 8000   |
| 191-1528 | K2500 | ☒           | 200 | 8000   |
| 191-1521 | K3000 | ☒           | 200 | 8000   |



## TOLECUT STICK-ON DISCS

### 34 MM

| Art. No. | Grit  | Application | Box |
|----------|-------|-------------|-----|
| 192-1516 | K800  | ☒           | 600 |
| 192-1515 | K1200 | ☒           | 600 |
| 192-1513 | K1500 | ☒           | 600 |
| 192-1512 | K2000 | ☒           | 600 |
| 192-1514 | K2500 | ☒           | 600 |
| 192-1511 | K3000 | ☒           | 600 |



## PAUL DALTON

### Owner Miracle Detail

"I recently discovered Kovax, and it has been a game-changer for me! The Tolex Kit in particular, has revolutionised how I detail cars. Now, scratches take half the time. Previously, I used a messy wet sanding technique, which required constantly cleaning away the muck to make sure I hadn't gone through the topcoat. Now, I can see exactly what I'm doing and how far I've sanded. The sanding is smooth and uniform, giving me an unrivalled finish. I will never go back to wet sanding again."



# Tri-Pro

## P40 - P600

PRICE-PERFORMANCE WINNER FOR  
THE COMPLETE SANDING PROCESS, FROM  
SANDING BARE METAL TO SANDING PRIMER.

### **TRI-PRO** P40 - P600

Metal Sanding, Removing  
Old Layers, Putty Sanding,  
Primer Sanding

**YELLOW FILM**  
P800 - P2000  
Blending, Finishing

**TOLE CUT**  
K800 - K3000  
Imperfection  
Removal


Use Tri-Pro for your complete preparation process up to the application of the base coat. For the next step we recommend using the Yellow Film series to blend old paint layers, if necessary.



# TRI-PRO

## TRI-PRO SUPER TACK DISCS 152 MM - 15 HOLES

| Art. No. | Grit | Application | Box | Carton |
|----------|------|-------------|-----|--------|
| 527-0040 | P40  |             | 50  | 600    |
| 527-0060 | P60  |             | 100 | 800    |
| 527-0080 | P80  |             | 100 | 800    |
| 527-0100 | P100 |             | 100 | 800    |
| 527-0120 | P120 |             | 100 | 1200   |
| 527-0150 | P150 |             | 100 | 1200   |
| 527-0180 | P180 |             | 100 | 1200   |




**PREMIUM IS USED FOR THE COMPLETE SANDING PROCESS, FROM SANDING BARE METAL TO SANDING PRIMER.**

The aggressiveness of Premium products results in a high cutting power. At the same time the uniform sanding scratches prevent intensive refinishing.

# PREMIUM

## PREMIUM SUPER TACK DISCS 152 MM - 15 HOLES

| Art. No. | Grit | Application | Box | Carton |
|----------|------|-------------|-----|--------|
| 568-0240 | P240 |             | 50  | 600    |
| 568-0320 | P320 |             | 50  | 600    |
| 568-0400 | P400 |             | 50  | 600    |
| 568-0500 | P500 |             | 50  | 600    |
| 568-0600 | P600 |             | 50  | 600    |



# Yellow Film

## P800 - P2000

THE NUMBER 1 SOLUTION FOR BLENDING ZONES,  
WITH THE GUARANTEE FOR A PERFECT,  
NON-VISIBLE TRANSITION FROM THE OLD TO  
THE NEW CLEAR COAT.

### TRI-PRO

P60 - P600

Metal Sanding, Removing  
Old Layers, Putty Sanding,  
Primer Sanding

### YELLOW FILM

P800 - P1500

Blending, Finishing

### SUPER ASSILEX

K240 - K1500






Putty Sanding,  
Primer Sanding,  
Blending, Finishing


After using Tri-Pro for the preparation process, use when necessary the Yellow Film, to **blend** and smoothen old paint layers. Furthermore is Yellow Film your first choice when it comes to **high-gloss finishing**. Yellow Film completely **removes** the **paint structure** and **any surface irregularities** in the topcoating. For **imperfection removal** with machine use the 75mm Yellow Film discs.

## YELLOW FILM

### YELLOW FILM SUPER TACK DISCS





#### 152 MM - 15 HOLES


| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 524-0800 | P800  |  | 50  | 600    |
| 524-1000 | P1000 |  | 50  | 600    |
| 524-1200 | P1200 |  | 50  | 600    |
| 524-1500 | P1500 |  | 50  | 600    |
| 524-2000 | P2000 |  | 50  | 600    |







### YELLOW FILM SUPER TACK DISCS

#### 152 MM - 7 HOLES

| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 779-0800 | P800  |  | 50  | 600    |
| 779-1000 | P1000 |  | 50  | 600    |
| 779-1200 | P1200 |  | 50  | 600    |
| 779-1500 | P1500 |  | 50  | 600    |








**YELLOW FILM SUPER TACK DISCS**  
**152 MM - WITHOUT HOLES**

| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 778-0800 | P800  |  | 50  | 600    |
| 778-1000 | P1000 |  | 50  | 600    |
| 778-1200 | P1200 |  | 50  | 600    |
| 778-1500 | P1500 |  | 50  | 600    |






**YELLOW FILM SUPER TACK DISCS**  
**125 MM - 7 HOLES**

| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 555-0800 | P800  |  | 50  | 600    |
| 555-1000 | P1000 |  | 50  | 600    |
| 555-1200 | P1200 |  | 50  | 600    |
| 555-1500 | P1500 |  | 50  | 600    |









**YELLOW FILM SUPER TACK DISCS**  
**75 MM - WITHOUT HOLES**

| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 730-0800 | P800  |  | 50  | 1800   |
| 730-1500 | P1000 |  | 50  | 1800   |
| 730-2000 | P1200 |  | 50  | 1800   |





**YELLOW FILM SUPER TACK DISCS**  
**77 MM - MULTIHOLE**

| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 731-0800 | P800  |  | 50  | 1800   |
| 731-1000 | P1000 |  | 50  | 1800   |
| 731-1200 | P1200 |  | 50  | 1800   |
| 731-1500 | P1500 |  | 50  | 1800   |
| 731-2000 | P2000 |  | 50  | 1800   |



**YELLOW FILM STICK ON DISCS**  
**35 MM - WITHOUT HOLES**

| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 881-1500 | P1500 |  | 100 | 2000   |
| 881-2000 | P2000 |  | 100 | 2000   |



# Maxfilm

## P80 - P600

*MAXFILM STANDS FOR MAXIMUM DURABILITY FOR ALL SANDING WORK, FROM SANDING BARE METAL TO SANDING PRIMER.*

### **MAXFILM** P80 - P600

Metal Sanding, Removing Old Layers, Putty Sanding, Primer Sanding

### **SUPER ASSILEX** K240 - K1500

Putty Sanding, Primer Sanding, Blending, Finishing

**TOLECUT**  
K800 - K3000  
Imperfection Removal


Use Maxfilm for your complete preparation process, from putty to primer sanding. Maxfilm is available in discs (P80-P600) and multihole sheets (P80-P400). After finishing with Maxfilm multihole sheets, we recommend to continue with Maxfilm discs to smoothen the surface and prepare for the next step.

For a perfect primer finish, we advice to continue with Super Assilex K500/K600/K800 after finishing with Maxfilm discs. With minimum effort, last sandingmarks are removed and a perfect base for the painting process is created. Additionally we recommend using Super Assilex K800 - K1500 for the blending process of old paint layers.

# MAXFILM


## MAXFILM SUPER TACK DISCS 152MM - MULTIHOLE

| Art. No. | Grit | Application | Box | Carton |
|----------|------|-------------|-----|--------|
| 523-9080 | P80  |             | 50  | 600    |
| 523-9120 | P120 |             | 50  | 600    |
| 523-9150 | P150 |             | 50  | 600    |
| 523-9180 | P180 |             | 50  | 600    |
| 523-9220 | P220 |             | 50  | 600    |
| 523-9240 | P240 |             | 50  | 600    |
| 523-9280 | P280 |             | 50  | 600    |
| 523-9320 | P320 |             | 50  | 600    |
| 523-9360 | P360 |             | 50  | 600    |
| 523-9400 | P400 |             | 50  | 600    |
| 523-9500 | P500 |             | 50  | 600    |
| 523-9600 | P600 |             | 50  | 600    |



## MAXFILM SUPER TACK DISCS 77 MM - MULTIHOLE

| Art. No. | Grit | Application | Box | Carton |
|----------|------|-------------|-----|--------|
| 523-8080 | P80  |             | 50  | 1800   |
| 523-8120 | P120 |             | 50  | 1800   |
| 523-8150 | P150 |             | 50  | 1800   |
| 523-8180 | P180 |             | 50  | 1800   |
| 523-8220 | P220 |             | 50  | 1800   |
| 523-8240 | P240 |             | 50  | 1800   |
| 523-8280 | P280 |             | 50  | 1800   |
| 523-8320 | P320 |             | 50  | 1800   |
| 523-8360 | P360 |             | 50  | 1800   |
| 523-8400 | P400 |             | 50  | 1800   |
| 523-8500 | P500 |             | 50  | 1800   |
| 523-8600 | P600 |             | 50  | 1800   |





# Super Assilex

## K240 - K1500

THE NEW AND UNIQUE WAY OF SANDING,  
UNIFORMITY AND FLEXIBILITY THAT AMAZE.

- ✓ Uniform Scratches
- ✓ Up to 50% Time-Saving
- ✓ Extremely Flexible

### MAXFILM

P80 - P600

Metal Sanding, Removing  
Old Layers, Putty Sanding,  
Primer Sanding

### SUPER ASSILEX

K240 - K1500


Putty Sanding,  
Primer Sanding,  
Blending, Finishing

### TOLECUT

K800 - K3000

Imperfection  
Removal


The Super Assilex series simplifies several sanding jobs. Super Assilex sheets K240 - K360 are perfectly suited to **sand hard to reach edges on old paint surfaces** before applying primer. K400 - K800 are champions when it comes to **primer finish**. And for blending between repaired and non-repaired areas Super Assilex K800 - K1500 is the first choice to create an optimal base for the painting process.



# SUPER ASSILEX DISCS


## SUPER ASSILEX SUPER TACK DISCS 152 MM - 15 HOLES

| Art. No. | Grit   | Application | Box | Carton |
|----------|--------|-------------|-----|--------|
| 193-2537 | K240*  |             | 25  | 1000   |
| 193-2535 | K320*  |             | 25  | 1000   |
| 193-1575 | K360*  |             | 25  | 1000   |
| 193-2533 | K400*  |             | 25  | 1000   |
| 193-2532 | K500*  |             | 25  | 1000   |
| 193-1578 | K600*  |             | 25  | 1000   |
| 193-1579 | K800*  |             | 25  | 1000   |
| 193-2527 | K1000* |             | 25  | 1000   |
| 193-1580 | K1200* |             | 25  | 1000   |
| 193-2525 | K1500  |             | 25  | 1000   |



EXCLUSIVELY USE WITH MICRO VELCRO INTERFACE PADS.  
USE MICRO VELCRO INTERFACE PAD 971-0057 (HARD) TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS AND USE INTERFACE PAD 971-0091 (SOFT) FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.


## SUPER ASSILEX SUPER TACK INTERFACE PAD - HARD 150 MM - 15 HOLES



| Art no.  |              | Box |
|----------|--------------|-----|
| 971-0057 | MICRO VELCRO | 2   |

USE THE HARD INTERFACE PADS TO FLATTEN THE SURFACE AND INCREASE AGGRESSIVENESS.

## SUPER ASSILEX SUPER TACK INTERFACE PAD - SOFT 150 MM - 15 HOLES



| Art no.  |              | Box |
|----------|--------------|-----|
| 971-0091 | MICRO VELCRO | 2   |

USE THE SOFT INTERFACE PADS FOR CURVED SURFACES AND TO INCREASE UNIFORMITY.

## SUPER ASSILEX SUPER TACK DISCS 75 MM - WITHOUT HOLES

| Art. No. | Grit   | Application | Box | Carton |
|----------|--------|-------------|-----|--------|
| 730-2510 | K600*  |             | 50  | 1800   |
| 730-2508 | K800*  |             | 50  | 1800   |
| 730-2507 | K1200* |             | 50  | 1800   |
| 730-2505 | K1500* |             | 50  | 1800   |



# Tolex

## K1500

Polish

**TOLEX**

K1500  
Imperfection removal

**BUFLEX DRY**

K2000 - K3000  
Finishing

Polishing

Tolex offers a time-efficient dry sanding solution that exposes and eliminates topcoat imperfections with its micro grain technology, which produces ultra-fine scratches of less than 1 micron.

This innovation not only minimises polishing time, but also reduces the risk of sanding through clearcoat. The dry sanding system ensures a clear view during sanding. The unique balance between aggressiveness and uniformity leads to fewer errors and a superior finish that facilitates the polishing process.

## TOLEX DISCS


**TOLEX SUPER TACK DISCS**  
**152 MM - 15 HOLES**

| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 193-1563 | K1500 |  | 25  | 1000   |


 USE IN COMBINATION WITH MICRO VELCRO TOLEX INTERFACE PAD ( **971-0027** )

**TOLEX SUPER TACK INTERFACE PAD**  
**150 MM - 15 HOLES**


| Art. No. | Box               |
|----------|-------------------|
| 971-0027 | MICRO VELCRO<br>2 |



## TOLEX SUPER TACK DISCS 125 MM - 7 HOLES

| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 195-1593 | K1500 |  | 25  | 1000   |

 USE IN COMBINATION WITH MICRO VELCRO INTERFACE PAD **971-0044**.



## TOLEX SUPER TACK DISCS 75 MM - WITHOUT HOLES


| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 730-1502 | K1500 |  | 50  | 1800   |

 INCLUDING INTERFACE PAD **971-7503**



## TOLEX SUPER TACK SHEETS 130 X 170 MM

| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 191-1533 | K1500 |  | 25  | 500    |

 WITH PERFORATION LINE: CAN EASILY BE DIVIDED INTO TWO SHEETS OF 130 X 85 MM. USE WITH SUPER ASSILEX HAND PAD M ( **971-0025** ) OR SUPER ASSILEX HAND PAD L ( **971-0026** ) FOR AN EVEN FINER RESULT USE THE BUFLEX DRY HAND PAD ( **971-0060** ) (MANUAL USE) OR INTERFACE PAD ( **971-0061** ) (MACHINE USE) .



 REDUCE YOUR POLISHING TIME BY USING TOLEX K1500 BETWEEN YELLOW FILM AND BUFLEX DRY.

# TOLEX STICK-ON

## TOLEX STICK-ON DISCS 152 MM - WITHOUT HOLES

| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 192-1503 | K1500 |  | 25  | 1500   |

 FOR MORE AGGRESSIVENESS USE INTERFACE PAD HARD ( **971-0017** ) . FOR MORE UNIFORMITY USE INTERFACE PAD SOFT ( **971-0014** ) .



## TOLEX STICK-ON INTERFACE PAD - HARD 150 MM - WITHOUT HOLES

| Art. No. | Box |
|----------|-----|
| 971-0017 | 2   |



## TOLEX / BUFLEX WET STICK-ON INTERFACE PAD - SOFT 150 MM - WITHOUT HOLES

| Art. No. | Box |
|----------|-----|
| 971-0014 | 2   |



# Buflex Dry

## K2000 - K3000

THE FINEST ABRASIVE FOR MAXIMUM  
POLISH TIME REDUCTION.

**TOLE CUT**  
K800 - K3000  
Imperfection Removal




**BUFLEX DRY**  
K2000 - K3000  
Finishing


Polishing

After removing the surface irregularities and the imperfections, we recommend using Buflex Dry to **refine last scratches**. The extremely fine sanding pattern **reduces the work intensive polishing time**.

## BUFLEX DRY

### BUFLEX DRY SUPER TACK DISCS 152 MM - 15 HOLES

| Art. No. | Grit  | Application   | Box | Carton |
|----------|-------|---|-----|--------|
| 195-1565 | K2000 |  | 25  | 1000   |
| 195-1562 | K2500 |  | 25  | 1000   |
| 195-1564 | K2300 |  | 25  | 1000   |



 ONLY USE IN COMBINATION WITH INTERFACE PAD **971-0065**.


**BUFLEX DRY SUPER TACK INTERFACE PAD**  
**150 MM - 15 HOLES**

| Art. No. |                        | Box |
|----------|------------------------|-----|
| 971-0065 | FEMALE - FEMALE VELCRO | 2   |



**BUFLEX DRY SUPER TACK DISCS**  
**125 MM - 7 HOLES**

| Art. No. | Grit  | Application | Box | Carton |
|----------|-------|-------------|-----|--------|
| 195-1535 | K2000 |             | 25  | 1000   |
| 195-1534 | K3000 |             | 25  | 1000   |




**BUFLEX DRY SUPER TACK INTERFACE PAD**  
**125 MM - 7 HOLES**

| Art. No. |                        | Box |
|----------|------------------------|-----|
| 971-0067 | FEMALE - FEMALE VELCRO | 2   |



**BUFLEX DRY SUPER TACK DISCS**  
**75 MM - WITHOUT HOLES**

| Art. No. | Grit  | Application | Box | Carton |
|----------|-------|-------------|-----|--------|
| 730-1513 | K2000 |             | 50  | 1800   |
| 730-1515 | K2500 |             | 50  | 1800   |
| 730-1514 | K3000 |             | 50  | 1800   |



ONLY USE IN COMBINATION WITH INTERFACE PAD **971 - 0068**.


**BUFLEX DRY SUPER TACK INTERFACE PAD**  
**75 MM - WITHOUT HOLES**

| Art. No. |                        | Box |
|----------|------------------------|-----|
| 971-0068 | FEMALE - FEMALE VELCRO | 4   |



**BUFLEX DRY SUPER TACK SHEETS**  
**130 x 170 MM**

| Art. No. | Grit  | Application | Box | Carton |
|----------|-------|-------------|-----|--------|
| 191-1532 | K2000 |             | 25  | 500    |
| 191-1534 | K2500 |             | 25  | 500    |
| 191-1531 | K3000 |             | 25  | 500    |



**BUFLEX DRY SUPER TACK HAND PAD & INTERFACE PAD**  
**78 x 123 MM**

| Art. No. |                                      | Box |
|----------|--------------------------------------|-----|
| 971-0060 | FEMALE - FEMALE VELCRO (MANUAL USE)  | 2   |
| 971-0061 | FEMALE - FEMALE VELCRO (MACHINE USE) | 2   |



# TOOLS AND POLISH COMPOUNDS

RUBBING COMPOUND - PLATINUM WHITE  
4 L (Exclusive to Eguchi Iwao)

| Art. No. | Box |
|----------|-----|
| 852-4008 | 1   |



## Rubbing Compound Platinum White




## WITH WAYNE @DAMAGE UNDONE

I like to use with Kovax because their range of dry sanding abrasives are second to none.

Covering all bases from general sanding during the initial repair processes.

To their excellent finishing range of products, like the buflex and tolecut that I use for any paint.



@DAMAGEUNDONE

# WHY USE EGUCHI IWAO

We collaborate with paint manufacturers, automotive factories, independent producers, and industry representatives, fostering a functional working experience for our clients through these partnerships.


Our commitment is to guide you in selecting premier brands and products that meet your needs, identify application solutions that align with your process layout and environmental regulations, and address any challenges that emerge, thereby ensuring mutual growth and enhancement.



## HOW WE WORK

We engage with paint manufacturers, automotive plants, independent producers or any other entity relevant in the industry and we create a functional working experience for our customers through these relationships.

We will always guide you through choosing the best brands and products that satisfy your requirements, find application solutions in accordance with your process layout and environmental rules. We will troubleshoot any issue that may arise to ensure collective growth and improvement.



**EGUCHI IWAO EUROPE**  
+44 330 128 9258  
sales@eguchi-iwao.com

Scan the QR code to  
**call our sales team**







# Connect with us today

Improved quality, time and cost for your coating application process

## Eguchi Iwao Europe

Banbury Office

Suite 4, The Granary, Upton Estate Home Farm Drive, Banbury, Oxfordshire, OX15 6HU

orderseu@eguchi-iwao.com  
+44 3301 289 258

## Eguchi Iwao Europe

Warehouse

Warehouse Orchard Farm Nursery, Tysoe Rd, Lower Tysoe, Warwickshire, CV35 0BU

orderseu@eguchi-iwao.com  
+44 3301 289 258

## 360 Supply Solutions

Johannesburg Office

Unit 12, Dawn Park, 5 Tugela St, Pomona, Kempton Park, 1619, South Africa

admin@360ss.co.za  
+27 11 396 1161

## Woodfinishes

Yeovil Office

Unit 19B, Sea King Road, Lynx Industrial Trading Estate Yeovil, BA20 2NZ

info@woodfinishes-ltd.co.uk  
+44 1935 432 841

## Eguchi Iwao South Africa

Johannesburg Office

Unit 12, Dawn Park, 5 Tugela St, Pomona, Kempton Park, 1619, South Africa

info@eguchi.co.za  
+27 11 396 1161

## Eguchi Iwao South Africa

Durban Office

31 Joyner Road, Prospecton, Durban, 4110 South Africa

info@eguchi.co.za  
+27 319 130 600



 **EGUCHI IWAO**  
EUROPE Ltd

