




# WHO IS EGUCHI IWAO

Founded in 1907, this company has evolved into a leading provider of paints, coatings, and specialty materials in Japan. After 18 years of successful growth across Asia, Eguchi Iwao South Africa was established in 2012, followed by the inauguration of a European branch in the UK in September 2019.

The company's operations in Japan and Europe are closely associated with several major global coatings manufacturers. These partnerships have enabled the company to consistently deliver advanced paint products and solutions, building a strong reputation for reliability and quality.

The European division is committed to maintaining this standard of excellence. It collaborates with innovative companies known for their expertise in the industry and has expanded its services to cover additional business sectors throughout Europe.



毎回時間通りに

**COATINGS & SOLUTIONS**  
TOGETHER WITH  
SERVICE & SOLUTIONS





## ABOUT WARRIOR PROTECTS


In January 2011, we became part of Lalan Rubber (PVT) Ltd, a significant manufacturer of latex and nitrile gloves based in Sri Lanka.

With their own latex plantations, centrifuge and dipping plants they offer us a “tree to shelf” service. Lalan Rubber (PVT) has net assets in excess of \$100m and offers us strong financial backing.

They are consistently investing into new production plants and adding to their product portfolio which provides Main Man Supplies a strong base from which we can offer good continuity of supply in this very volatile and ever-changing market.

Corporate Social Responsibility can only be achieved by ensuring we run our business in a sustainable and ethical manner.

As well as ensuring the plantations that supply are FSC-approved and that no AZO dyes are used in production, we also have a vigorous vetting procedure to ensure that the factories we utilise use no child or forced labour and adhere to the principles of the United Nations Global Compact, UN Declaration of Human Rights and the 1998 International Labour Organisation’s ‘Declaration on Fundamental Principles and Rights at Work’.



# TABLE OF CONTENTS

GLOVES	1
SLEEVES	5
DISPOSABLE GLOVES	6
COVERALLS	8
SAFETY SHOES	10
SAFETY GLASSES	13
MASKS	16

## PROTECT YOUR HANDS WITH WARRIOR

### PRODUCT RANGE



AVAILABLE IN



12 PAIRS PER PACK  
240 PAIRS PER CARTON

### WHITE UNCOATED POLYESTER GLOVES

SIZE 7 - 10

- 13G white polyester liner
- Silicone free



AVAILABLE IN



1 PAIR PER POLYBAG  
12 PAIRS PER PACK  
240 PAIRS PER CARTON

### BLACK FOAM LATEX GLOVES

SIZE 7 - 11

- 13G black polyester liner
- Black crinkle foam latex palm dip coating

#### TECHNICAL DETAILS

**WARNING: Contains Latex\***

EN388: 2016

Abrasion Resistance - Level: 2

Circular Blade Cut Resistance - Level: 1

Tear Resistance - Level: 2

Puncture Resistance - Level: 1

Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X

**CODE: DWGL020** ●

#### PLEASE NOTE

\*Gloves containing natural latex may produce an allergic reaction in some individuals. Users with known sensitivity to latex should avoid contact.

#### TECHNICAL DETAILS

**CODE: DWGL185** ○



AVAILABLE IN

1 PAIR PER POLYBAG  
12 PAIRS PER PACK  
240 PAIRS PER CARTON




AVAILABLE IN

12 PAIRS PER PACK  
240 PAIRS PER CARTON

## PU GLOVES


SIZE 6 - 11

- 13G black / grey / white polyester liner
- Black / grey / white PU palm dip coating  CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 3
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 3
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
<b>CODE: DWGL315</b> ● <b>DWGL320</b> ● <b>DWGL325</b> ○

## NITRILE GLOVES

SIZE 7 - 11

- 13G black polyester liner
- Black nitrile palm dip coating  CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
<b>CODE: DWGL280</b>



AVAILABLE IN

1 PAIR PER POLYBAG  
12 PAIRS PER PACK  
240 PAIRS PER CARTON




AVAILABLE IN

12 PAIRS PER PACK  
240 PAIRS PER CARTON

## BLACK NITRILE GLOVES


SIZE 7 - 11

- 13G black polyester liner
- Black nitrile full dip coating  CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 2
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
<b>CODE: DWGL165</b> ●

## FOAM NITRILE GLOVES

SIZE 5 - 12

- 15G grey nylon / spandex liner
- Black sandy foam nitrile palm dip coating  CAT. II

TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 3
Puncture Resistance - Level: 1
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
<b>CODE: DWGL085</b> ●





AVAILABLE IN



1 PAIR PER POLYBAG  
12 PAIRS PER PACK  
240 PAIRS PER CARTON

## GREY PU CUT B GLOVES

SIZE 7 - 11

- 13G salt and pepper HPPE / glass liner
- Grey PU palm dip coating



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: B
<b>CODE: DWGL305</b> ●



AVAILABLE IN



12 PAIRS PER PACK  
240 PAIRS PER CARTON  
240 PAIRS PER CARTON

## GREY PU CUT C GLOVES

SIZE 7 - 11

- 113G grey HPPE / glass liner
- Grey PU palm dip coating



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: C
<b>CODE: DWGL090</b> ●



AVAILABLE IN



1 PAIR PER POLYBAG  
12 PAIRS PER PACK  
240 PAIRS PER CARTON

## GREY PU CUT D GLOVES

SIZE 7 - 11

- 113G salt and pepper HPPE / glass / steel liner
- Black PU palm dip coating



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D
<b>CODE: DWGL310</b> ●



AVAILABLE IN



12 PAIRS PER PACK  
240 PAIRS PER CARTON

## NITRILE CUT E GLOVE

SIZE 7 - 11

- 13G green or black & grey HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: E
<b>CODE: DWGL050</b>



AVAILABLE IN



1 PAIR PER POLYBAG  
12 PAIRS PER PACK  
240 PAIRS PER CARTON

## BLACK NITRILE CUT F GLOVES

SIZE 7 - 11

- 3G black HPPE / glass / steel liner
- Black sandy nitrile palm dip coating
- Black nitrile crotch reinforcement



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: 3
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: F
<b>CODE: DWGL080</b> ●

CALL OUR SALES TEAM ON **+44 330 128 9258** TO ARRANGE A DEMO



**EGUCHI IWAO EUROPE**  
+44 330 128 9258  
sales@eguchi-iwao.com

Scan the QR code to  
**call our sales team**





## PROTECT YOUR ARMS WITH WARRIOR

### PRODUCT RANGE



AVAILABLE IN



1 PAIR PER POLYBAG  
12 PAIRS PER PACK  
240 PAIRS PER CARTON



AVAILABLE IN



1 PAIR PER POLYBAG  
12 PAIRS PER PACK  
240 PAIRS PER CARTON

#### CUT B SLEEVE

SIZE 18"

- Yellow double layer aramid



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 2
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: X
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: B
EN407: 2004
Burning Behaviour - Level: X
Contact Heat - Level: 1
Convective Heat - Level: X
Radiant Heat - Level: X
Small Splashes of Molten Metal - Level: X
Large Quantities of Molten Metal - Level: X
<b>CODE: DWSL055</b>

#### CUT D SLEEVE

SIZE 18"

- 13G grey HPPE / glass liner



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: X
Tear Resistance - Level: 4
Puncture Resistance - Level: X
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: D
EN407: 2004
Burning Behaviour - Level: X
Contact Heat - Level: 1
Convective Heat - Level: X
Radiant Heat - Level: X
Small Splashes of Molten Metal - Level: X
Large Quantities of Molten Metal - Level: X
<b>CODE: DWSL035</b>

## DISPOSABLE HAND PROTECTION

### PRODUCT RANGE




**CHEMICAL RESISTANT**  

**FOOD SAFE**  
**AVAILABLE IN**  
  
 50 HANDS PER PACK  
 10 BOXES PER CARTON  
 500 HANDS PER CARTON




**CHEMICAL RESISTANT**  

**FOOD SAFE**  
**AVAILABLE IN**  
  
 50 HANDS PER PACK  
 10 BOXES PER CARTON  
 500 HANDS PER CARTON



### ORANGE NITRILE FISH GRIP SIZE S - 3XL

- Fish scale grip
- Powder free
- 24cm
- 6 mil
- Non sterile
- Single use
- Ambidextrous
- Extra tough
- Silicone free

TECHNICAL DETAILS	
EN ISO 374-1: 2016 - Type B	EN 1186
n-Heptane (J) - Level: 3	AQL 1.5
40% Sodium Hydroxide (K) - Level: 6	
37% Formaldehyde (T) - Level: 5	
30% Hydrogen Peroxide (P) - Level: 3	
EN ISO 374-5: 2016	
Protection against bacteria & fungi - Pass	
Protection against viruses - Pass	
<b>CODE: DWGL055</b>	



 **CAT. II**

### BLACK NITRILE FISH GRIP SIZE S - 3XL

- Fish scale grip
- Powder free
- 24cm
- 6 mil
- Non sterile
- Single use
- Ambidextrous
- Extra tough
- Silicone free

TECHNICAL DETAILS	
EN ISO 374-1: 2016 - Type B	EN 1186
n-Heptane (J) - Level: 3	AQL 1.5
40% Sodium Hydroxide (K) - Level: 6	
37% Formaldehyde (T) - Level: 5	
30% Hydrogen Peroxide (P) - Level: 3	
EN ISO 374-5: 2016	
Protection against bacteria & fungi - Pass	
Protection against viruses - Pass	
<b>CODE: DWGL060</b>	



 **CAT. II**





AVAILABLE IN



1 PAIR PER POLYBAG  
12 PAIRS PER PACK  
240 PAIRS PER CARTON

## GREEN NITRILE GAUNTLET

SIZE 7 - 11

- Flock lined
- Green nitrile coating



TECHNICAL DETAILS
EN388: 2016
Abrasion Resistance - Level: 4
Circular Blade Cut Resistance - Level: 1
Tear Resistance - Level: 0
Puncture Resistance - Level: 2
Straight Blade Cut Resistance Method (EN ISO 13997) - Level: X
EN ISO 374-1: 2016 - Type A
Methanol (A) - Level: 2

n-Heptane (J) - Level: 6
40% Sodium Hydroxide (K) - Level: 6
96% Sulphuric Acid (L) - Level: 3
65% Nitric Acid (M) - Level: 3
99% Acetic Acid (N) - Level: 3
25% Ammonium Hydroxide (O) - Level: 5
EN ISO 374-5: 2016
Protection against Bacteria & Fungi - Pass
Protection against Viruses - Pass
<b>CODE: DWGL250</b>

CALL OUR SALES TEAM ON **+44 330 128 9258** TO ARRANGE A DEMO





**WARRIOR™**

**SPECIAL  
HAZARD  
PROTECTION**

**PRODUCT RANGE**



**WHITE WS100 TYPE 5, TYPE 6 COVERALL**

**SIZE S - 3XL**

- SMMS (Spunbond, Meltblown: Meltblown, Spunbond) Polypropylene
- Seam Type: Stitched - Strong tight seam with high particle barrier properties 3-piece hood
- Elasticated wrists, waist and ankles
- Thumb loops
- 2-way front zipper
- Re-sealable storm flap



AVAILABLE IN



1PC PER POLYBAG  
10 PCS PER VACUUM PACKED BAG  
50 PCS PER CARTON

**TECHNICAL DETAILS**

EN ISO 13982-1: 2004+A1: 2010

EN 13034: 2005+A1: 2009

EN 1073-2: 2002

**CODE: DWHZ000**

**EGUCHI IWAO EUROPE**  
+44 330 128 9258  
sales@eguchi-iwao.com

Scan the QR code to  
**call our sales team**





## WHITE WS200 TYPE 5, TYPE 6 COVERALL

### SIZE S - 3XL

- Microporous Polyethylene (PE) Laminate
- Seam Type: Stitched and Bound - Combine strength, maximum liquid and particle protection
- 3-piece hood
- Elasticated wrists, waist and ankles Thumb loops
- 2-way front zipper
- Re-sealable storm flap
- Stitched seams in torso but with the inner leg and crotch seam bound



AVAILABLE IN

1PC PER POLYBAG  
10 PCS PER VACUUM PACKED BAG  
50 PCS PER CARTON

#### TECHNICAL DETAILS

EN ISO 13982-1: 2004+A1: 2010

EN 13034: 2005+A1: 2009

EN 1073-2: 2002

EN 1149-5: 2008

**CODE: DWHZ010**



## WHITE WS250 TYPE 5, TYPE 6 COVERALL

### SIZE S - 3XL

- Microporous Polyethylene (PE) Laminate
- Seam Type: Bound - Maximum strength, maximum liquid and particle protection 3-piece hood
- Elasticated wrists, waist and ankles Thumb loops
- 2-way front zipper
- Re-sealable storm flap
- All elastics sealed and enclosed



AVAILABLE IN

1 PC PER POLYBAG  
10 PCS PER VACUUM PACKED BAG  
40 PCS PER CARTON

#### TECHNICAL DETAILS

EN ISO 13982-1: 2004+A1: 2010

EN 13034: 2005+A1: 2009

EN 1073-2: 2002

EN 14126: 2003

EN 1149-5: 2008

**CODE: DWHZ000**

## FOOT PROTECTION

### PRODUCT RANGE



STEEL TOE CAP

FUEL OIL RESISTANCE

AVAILABLE IN

1 PAIR PER BOX  
5 PAIRS PER CARTON



METAL FREE

CLASS FIBRE TOE CAP

FUEL OIL RESISTANCE

AVAILABLE IN

1 PAIR PER BOX  
5 PAIRS PER CARTON

### BLACK ACTION ANKLE BOOTS

UK 4 - 13 (EU 37 - 48)

- Black action crazy horse waxy leather upper
- Grey nylon sandwich mesh lining
- Black oxford nylon mesh padded collar
- TPU heel kick off support
- 5 gun metal hexagonal eyelets with gun metal quick release anchor hook
- Black PU foam insock
- Steel midsole
- Outer sole is of hard density material
- Mid section of sole is made of softer density PU for comfort
- Abrasion and slip resistant
- Shock absorbing heel

### BLACK COMPOSITE UNIFORM BOOTS

UK 3 - 13 (EU 36 - 48)

- Black smooth action leather
- Dark grey sandwich mesh nylon lining
- PU padded collar and tongue
- 4 woven loop black / grey / black lace fixings
- Black flexi EVA insock with anti-static stitching
- Composite midsole
- Dual density PU / PU sole
- Abrasion and slip resistant
- Shock absorbing heel

#### TECHNICAL DETAILS

EN ISO 20345: 2011

S3 SRC

CODE: DWFO175

#### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO100



**HELP PREVENT THE RISK OF INJURIES BY WEARING QUALITY WARRIOR BLACK WAXY COMPOSITE WP BOOTS.**

**QUALITY FOOT PROTECTION.**



**WATER RESISTANT**  
Designed to keep your feet dry



**PRACTICAL**  
Designed for ease of movement and comfort in all working conditions



ANTI-STATIC PROPERTIES

METAL FREE

CLASS FIBRE TOE CAP

FUEL OIL RESISTANCE

AVAILABLE IN



1 PAIR PER BOX  
5 PAIRS PER CARTON

**BLACK WAXY COMPOSITE WP BOOTS**

**UK 4 - 12 (EU 37 - 47)**

- Black full grain buffalo waxy leather upper
- Water resistant
- Grey sandwich mesh and waterproof bag lining
- Grey oxford nylon mesh padded collar and tongue
- Black TPU anti scuff toe protector
- TPU ankle and heel support
- 4 black plastic hooks and 1 woven loop
- Gel heel insock with anti-static stitching
- Composite midsole
- Grey EVA midsole with black / red rubber outsole
- Contact heat resistance to 300°C
- Abrasion and slip resistant
- Shock absorbing heel

**TECHNICAL DETAILS**

EN ISO 20345: 2011

S3 WR HRO SRC

**CODE: DWFO090**





STEEL  
TOE CAP

FUEL OIL  
RESISTANCE

AVAILABLE IN



1 PAIR PER BOX  
5 PAIRS PER CARTON



ANTI-STATIC  
PROPERTIES



STEEL  
TOE CAP

FUEL OIL  
RESISTANCE

AVAILABLE IN



1 PAIR PER BOX  
5 PAIRS PER CARTON



ANTI-STATIC  
PROPERTIES

## BLACK L / W MESH TRAINERS

UK 3 - 12 (EU 36 - 47)

- Black lightweight nylon mesh upper
- Black sandwich mesh lining and pull on woven heel loop Oxford padded collar and tongue
- Black insock with anti-static stitching TPU heel and ankle support
- TPU scuff toe protector 5 black round eyelets Composite midsole
- Cemented dual density EVA / rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

## LADIES TRAINERS

UK 3 - 8 (EU 36 - 42)

- Black action nubuck leather upper
- Padded PU collar
- 3 pairs of blind eyelets to aid easy lacing
- 1 pair of plastic reinforced eyelets
- Moisture wicking textile sandwich mesh lining in contrast black and pink colours
- Replaceable, full length cushioned insock, perforated to aid airflow
- Composite midsole
- Single density rubber sole
- Abrasion and slip resistant
- Shock absorbing heel

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO165

### TECHNICAL DETAILS

EN ISO 20345: 2011

S1P SRC

CODE: DWFO160







**WARRIOR™**

# EYE PROTECTION

## PRODUCT RANGE



AVAILABLE IN

1 PAIR PER POLYBAG  
12 PAIRS PER BOX  
144 PAIRS PER CARTON



AVAILABLE IN

1 PAIR PER POLYBAG  
12 PAIRS PER BOX  
144 PAIRS PER CARTON

UV  
FILTER

### CLEAR LENS SPECTACLE ONE SIZE

- Black nylon arms and frame
- Clear polycarbonate lens
- Wide vision with side shields
- Adjustable arms

### CLEAR LENS SPECTACLE ONE SIZE

- Clear polycarbonate arms and frame
- Lightweight and comfortable

TECHNICAL DETAILS
EN166: 2001
Optical Class - 1
Low Impact Energy - F
<b>CODE: DWEY020</b>

TECHNICAL DETAILS
EN166: 2001
Optical Class - 1
Low Impact Energy - F
UV Filter - 2C-1.2
<b>CODE: DWEY045</b>

**HELP PREVENT THE  
RISK OF INJURIES  
TO THE EYES BY  
WEARING QUALITY  
WARRIOR  
EYE PROTECTION.**

**PROTECTS  
YOUR EYES.**



**ANTI-SCRATCH**

Our spectacles are less vulnerable to scratching



**LONG LASTING**

High quality, durable products



AVAILABLE IN



1 PAIR PER POLYBAG  
12 PAIRS PER BOX  
144 PAIRS PER CARTON



**CLEAR LENS SPECTACLE**

**ONE SIZE**

- Black nylon arms
- Smoke polycarbonate lens
- Lightweight and comfortable
- Pivot and adjustable arms
- Soft nose bridge
- Adjustable neck cord

**TECHNICAL DETAILS**

EN166: 2001

Optical Class - 1

Low Impact Energy - F

UV Filter - 5-3.1

**CODE: DWEY005**





## CLEAR LENS SPECTACLE

### ONE SIZE

- Black nylon arms
- Clear polycarbonate lens
- Lightweight and comfortable
- Pivot and adjustable arms
- Soft nose bridge
- Adjustable neck cord

TECHNICAL DETAILS
EN166: 2001
Optical Class - 1
Low Impact Energy - F
UV Filter - 2-1.2
<b>CODE: DWEY030</b>



## CLEAR LENS SPECTACLE

### ONE SIZE

- Black nylon arms
- Clear polycarbonate lens
- Lightweight and comfortable
- Pivot and adjustable arms
- Soft nose bridge
- Adjustable neck cord

TECHNICAL DETAILS
EN166: 2001
Optical Class - 1
Low Impact Energy - F
UV Filter - 2-1.2
<b>CODE: DWEY010</b>



## CLEAR INDIRECT VENT GOGGLE

### ONE SIZE

- Clear PVC frame
- Clear polycarbonate lens
- Lightweight and comfortable
- Indirect vents

TECHNICAL DETAILS
EN166: 2001
Optical Class - 1
Medium Impact Energy - B
Fields of Use - 3 Liquids
<b>CODE: DWEY040</b>



**WARRIOR™**

# RESPIRATORY PROTECTION

## PRODUCT RANGE



VALVED

5 MASKS PER BOX  
40 BOXES PER CARTON  
200 MASKS PER CARTON



VALVED

10 MASKS PER BOX  
40 BOXES PER CARTON  
400 MASKS PER CARTON

### FFP3 NR MOULDED RESPIRATOR

#### ONE SIZE

- Contour fit
- Clear vision
- Maintenance free
- Adjustable nose bridge
- Twin elastic headbands
- Easy breathing / speaking
- Comfortable foam nose seal
- Lightweight disposable respirator

#### TECHNICAL DETAILS

EN149: 2001+A1: 2009

Protection level FFP3 (with exhalation valve)

**CODE: DWRE025**

### FFP2 NR MOULDED RESPIRATOR

#### ONE SIZE

- Contour fit
- Clear vision
- Maintenance free
- Adjustable nose bridge
- Twin elastic headbands
- Easy breathing / speaking
- Comfortable foam nose seal
- Lightweight disposable respirator

#### TECHNICAL DETAILS

EN149: 2001+A1: 2009

Protection level FFP2 (with exhalation valve)

**CODE: DWRE015**



# WHY USE EGUCHI IWAO

We collaborate with paint manufacturers, automotive factories, independent producers, and industry representatives, fostering a functional working experience for our clients through these partnerships.


Our commitment is to guide you in selecting premier brands and products that meet your needs, identify application solutions that align with your process layout and environmental regulations, and address any challenges that emerge, thereby ensuring mutual growth and enhancement.



## HOW WE WORK

We engage with paint manufacturers, automotive plants, independent producers or any other entity relevant in the industry and we create a functional working experience for our customers through these relationships.

We will always guide you through choosing the best brands and products that satisfy your requirements, find application solutions in accordance with your process layout and environmental rules. We will troubleshoot any issue that may arise to ensure collective growth and improvement.



**EGUCHI IWAO EUROPE**  
+44 330 128 9258  
sales@eguchi-iwao.com

Scan the QR code to  
**call our sales team**



# Connect with us today

Improved quality, time and cost for your coating application process

## Eguchi Iwao Europe

Banbury Office

Suite 4, The Granary, Upton Estate Home Farm Drive, Banbury, Oxfordshire, OX15 6HU

orderseu@eguchi-iwao.com  
+44 3301 289 258

## Eguchi Iwao Europe

Warehouse

Warehouse Orchard Farm Nursery, Tysoe Rd, Lower Tysoe, Warwickshire, CV35 0BU

orderseu@eguchi-iwao.com  
+44 3301 289 258

## 360 Supply Solutions

Johannesburg Office

Unit 12, Dawn Park, 5 Tugela St, Pomona, Kempton Park, 1619, South Africa

admin@360ss.co.za  
+27 11 396 1161

## Woodfinishes

Yeovil Office

Unit 19B, Sea King Road, Lynx Industrial Trading Estate Yeovil, BA20 2NZ

info@woodfinishes-ltd.co.uk  
+44 1935 432 841

## Eguchi Iwao South Africa

Johannesburg Office

Unit 12, Dawn Park, 5 Tugela St, Pomona, Kempton Park, 1619, South Africa

info@eguchi.co.za  
+27 11 396 1161

## Eguchi Iwao South Africa

Durban Office

31 Joyner Road, Prospecton, Durban, 4110 South Africa

info@eguchi.co.za  
+27 319 130 600



**EGUCHI IWAO**  
EUROPE Ltd

